



Search PubMed



for

[Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[Display](#)[Abstract](#)[Sort](#)[Save](#)[Text](#)[Add to Clipboard](#)

1: Neuroreport 1998 Jul 13;9(10):2365-9

[Related Articles](#) [Bo](#)**GDNF administration induces recovery of the nigrostriatal dopaminergic system both in young and aged parkinsonian mic****Date I, Aoi M, Tomita S, Collins F, Ohmoto T.**

Department of Neurological Surgery, Okayama University Medical School,

Glial cell line-derived neurotrophic factor (GDNF) is a member of the transferrin growth factor beta superfamily and acts as a neurotrophic factor for the nigro-dopaminergic system. GDNF was injected stereotactically into the striatum of 3-month-old and aged (12 months old) C57BL/6 mice that were treated with 4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) 1 week earlier. Immunocytochemical analyses showed significant recovery of the nigrostriatal dopaminergic system both in young and in aged mice. Since Parkinson's disease is a neurodegenerative disorder mainly affecting elderly people, this result demonstrates the potential usefulness of GDNF in treating Parkinson's disease.

PMID: 9694229 [PubMed - indexed for MEDLINE]

[Display](#)[Abstract](#)[Sort](#)[Save](#)[Text](#)[Add to Clipboard](#)[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)